


Hybrid Packages



Standard Flatpacks, Plug-ins and Platforms are available in all industry common configurations

All in-house operations (Engineering and Manufacturing) enable Sinclair to accommodate any custom requirement.


High-volume, Low-Volume? Manufacturing flexibility offers the capability of CNC machining for prototypes or small runs to power presses for high-volume production.

Sinclair


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.256	0.197	0.119	0.040	0.100	-	0.033	0.050	0.020	0.060	T	
0.340	0.320	0.098	0.018			.010/.015	0.050	0.025	0.025	C	
0.375	0.375	0.130	0.040	0.200		.039/.021	0.100	0.025	0.025	C	
0.375	0.375	0.135	0.040	0.200		0.040	0.100	0.025	0.030	C	
0.375	0.375	0.140	0.040	0.200	0.200	0.040	0.100	0.020	0.060	T	
0.375	0.375	0.160	0.040			0.040	0.050	0.025	0.030	C	
0.380	0.250	0.080	0.020	0.300		0.033	0.050	0.005	0.020	C	
0.380	0.380	-	.020/.025	0.300	-	0.033	0.050	0.025	-	T	
0.380	0.380	0.080	0.020	0.300		0.033	0.050	0.020	0.025	C	
0.380	0.380	0.097	0.020	0.300	-	0.034	0.050	0.020	0.040	T	
0.380	0.380	0.135	0.020	0.200		0.040	0.100	0.025	0.020	C	
0.384	0.250	0.103	0.020	0.300		0.039	0.100	0.025	0.025	C	
0.384	0.250	0.108	0.025	0.300	-	0.033	0.050	0.025	0.050	T	
0.388	0.309	0.098	0.035	0.200		.021/.040	0.100	0.020	0.055	C	
0.390	0.310	0.100	0.035	N/A		N/A	N/A	0.020	0.055	C	
0.400	0.395	0.150	0.040	0.200		0.040	0.050	0.020	0.060	C	
0.400	0.400	0.155	0.040	0.300		.018/.040	0.050	0.025	0.025	C	
0.410	0.275	0.085	0.025	0.300	-	0.033	0.050	0.025	0.050	T	
0.410	0.275	0.105	0.025	0.300	-	0.033	0.050	0.025	0.050	T	
0.415	0.280	0.131	0.036	0.200	-	0.048	0.100	0.015	0.051	T	
0.417	0.417	0.200	0.043	0.200	-	0.059	0.100	0.020	0.063	T	
0.418	0.418	0.176	0.036	0.200	0.200	0.065	0.100	0.015	0.051	T	
0.420	0.290	0.126	0.036	0.301	-	0.033	0.043	0.020	0.056	T	
0.420	0.420	0.130	0.040	0.300		0.040	0.050	0.025	0.025	C	
0.420	0.420	0.131	0.040	0.250		0.035	0.050	0.030	0.025	C	
0.440	0.275	0.150	0.040	0.300	-	0.040	0.050	0.015	0.055	T	
0.440	0.305	0.150	0.040	0.300	-	0.040	0.050	0.015	0.055	T	
0.440	0.305	0.150	0.040	0.350	-	0.040	0.050	0.015	0.055	T	
0.500	0.375	0.130	0.040	N/A		0.040	0.050	0.020	0.060	C	
0.500	0.375	0.132	0.040	0.350	-	0.040	0.050	0.020	0.060	T	
0.500	0.375	0.135	0.040	0.350	-	0.033	0.050	0.020	0.060	T	
0.500	0.375	0.140	0.040	0.350	-	0.040	0.050	0.020	0.060	T	
0.500	0.375	0.142	0.032	0.250	-	0.033	0.050	0.020	0.052	T	
0.500	0.375	0.385	0.035	-	0.105	0.033	0.050	0.020	0.055	T	
0.500	0.375	0.390	0.040	-	0.100	0.040	0.350	0.020	0.060	T	
0.500	0.500	0.135	0.040	0.350	0.350	0.033	0.050	0.020	0.060	T	
0.500	0.500	0.135	0.040	0.350	0.350	0.040	0.050	0.025	0.065	T	
0.500	0.500	0.145	0.010			0.039		0.025	0.060	C	
0.500	0.500	0.145	0.040	0.350	0.350	0.040	0.050	0.020	0.060	T	
0.500	0.500	0.150	0.040	0.200		0.040	0.100	0.025	0.065	C	
0.500	0.500	0.155	0.030	0.445		.040/.039		0.025	0.020	C	
0.500	0.500	0.155	0.040	N/A		N/A	N/A	0.015	0.055	C	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.500	0.500	0.160	0.040	0.350		0.040	0.050	0.025	0.055	C	
0.500	0.500	0.170	0.040	1.100		0.040	0.100	0.025	0.060	C	
0.500	0.500	0.170	0.040	N/A		ODD	0.100	0.025	0.060	C	
0.500	0.500	0.170	0.050	N/A		0.060	0.075	0.040	0.090	C	
0.500	0.500	0.175	0.040	N/A		.039/.021	N/A	0.025	0.055	C	
0.500	0.500	0.177	0.040			0.040	0.080	0.020	0.060	C	
0.500	0.500	0.223	0.040	0.350	-	0.040	0.100	0.025	0.065	T	
0.500	0.500	0.230	0.035	0.300	-	0.039	0.050	0.025	0.060	T	
0.500	0.500	0.385	0.035	0.350	0.095	0.033	0.050	0.025	0.060	T	
0.500	0.500	0.390	0.040	0.350	0.105	0.040	0.050	0.015	0.055	T	
0.500	0.500	0.390	0.040	0.350	0.175	0.033	0.050	0.025	0.065	T	
0.500	0.500	0.400	0.040	-	0.095	0.040	0.050	0.020	0.060	T	
0.505	0.505		.043/.037			.040/.060		0.025	.055/.065	C	
0.510	0.385	-	0.040	-	0.200	0.040	0.050	-	-	T	
0.510	0.385	-	0.040	0.300	-	0.040	0.050	-	-	T	
0.510	0.385	0.102	0.040	0.350		0.040	0.100	0.025	0.025	C	
0.510	0.385	0.140	0.040	0.350	-	0.040	0.100	0.010	0.050	T	
0.510	0.385	0.155	0.040	0.350		.020/.040	0.100	0.015	0.030	C	
0.510	0.385	0.155	0.040	0.350		0.040	0.050	0.020	0.030	C	
0.510	0.385	0.155	0.040	0.350		0.040	N/A	0.020	0.060	C	
0.510	0.385	0.155	0.040	0.350	-	0.040	0.050	0.020	0.060	T	
0.510	0.385	0.158	0.040	0.350		0.040	0.100	0.025	0.025	C	
0.510	0.385	0.169	0.040	0.350		0.040		0.020	0.060	C	
0.540	0.500	0.150	0.040	N/A		N/A	N/A	0.020	0.060	C	
0.540	0.540	-	0.050	-	0.170	0.060	-	0.030	0.080	T	
0.540	0.540	0.135	0.040	0.350	-	0.040	0.050	0.020	0.060	T	
0.540	0.540	0.253	0.050	0.300	0.300	0.090	0.150	0.025	0.075	T	
0.540	0.540	0.260	0.050	0.300	-	0.090	0.150	0.020	0.070	T	
0.540	0.540	0.302	0.050	0.300	0.300	0.078	0.150	0.025	0.075	T	
0.550	0.550	0.155	0.040	-	0.300	0.040	0.050	0.020	0.060	T	
0.550	0.550	0.155	0.040	0.350	-	0.040	0.050	0.020	0.060	T	
0.580	0.580	0.240	0.050	-	-	0.060	-	0.030	0.080	T	
0.580	0.580	0.240	0.050	N/A		0.060	N/A	0.030	0.080	C	
0.580	0.580	0.265	0.050	N/A		N/A	N/A	0.030	0.080	C	
0.600	0.590	0.170	0.040	0.600		0.040	0.100	0.020	0.060	C	
0.617	0.217	0.141	0.036	0.400	-	0.040	0.100	0.015	0.051	T	
0.625	0.375	0.115	0.035	0.500		0.034	0.050	0.025	0.025	C	
0.625	0.375	0.130	0.040	0.500	-	0.040	0.050	0.020	0.060	T	
0.625	0.375	0.134	0.040	0.500		0.040	0.050	0.015	0.057	C	
0.625	0.375	0.135	0.040	0.500	-	0.040	0.050	0.015	0.055	T	
0.625	0.375	0.135	0.040	0.500	-	0.040	0.050	0.020	0.060	T	
0.625	0.375	0.170	0.040	0.500		0.039	0.050	0.025	0.025	C	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.625	0.375	0.520	0.020	-	0.085	0.033	0.050	0.010	0.030	T	
0.625	0.500	0.120	0.040	0.500	0.350	0.033	0.050	0.025	0.065	T	
0.625	0.500	0.133	0.040	300.000	-	0.040	0.100	0.015	0.055	T	
0.625	0.500	0.138	0.040	0.300	-	0.040	0.100	0.020	0.060	T	
0.625	0.500	0.170	0.040			0.040	0.150	0.025	0.030	C	
0.625	0.625	0.105	0.040	0.450	0.450	0.033	0.050	0.025	0.065	T	
0.625	0.625	0.118	0.040	0.450	-	0.040	0.050	0.030	0.070	T	
0.625	0.625	0.118	0.040	0.450	0.450	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.120	0.040	0.500	-	0.040	0.100	0.020	0.060	T	
0.625	0.625	0.128	0.040	0.450		0.040	0.050	0.025	0.025	C	
0.625	0.625	0.130	0.040	0.450		0.040	0.050	0.015	.015/.025	C	
0.625	0.625	0.130	0.040	0.450	0.450	0.033	0.050	0.020	0.060	T	
0.625	0.625	0.130	0.040	0.500	0.500	0.033	0.050	0.010	0.050	T	
0.625	0.625	0.130	0.040	0.500	0.500	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.138	0.040	0.450		0.040	0.050	0.025	0.060	C	
0.625	0.625	0.140	0.040	0.400	0.400	0.034	0.050	0.020	0.060	T	
0.625	0.625	0.140	0.040	0.400	0.400	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.145	0.040	0.500		0.039	0.050	0.025	0.055	C	
0.625	0.625	0.147	0.040	0.500		0.033	0.050	0.020	0.060	C	
0.625	0.625	0.148	0.040	0.500		0.033	0.050	0.015	0.055	C	
0.625	0.625	0.148	0.040	0.500	0.500	0.033	0.050	0.020	0.060	T	
0.625	0.625	0.150	0.040			0.040	0.050	0.020	0.060	C	
0.625	0.625	0.150	0.040	0.450		0.020	0.050	0.020	0.060	C	
0.625	0.625	0.150	0.040	0.450		0.033	0.050	0.015	0.030	C	
0.625	0.625	0.150	0.040	0.450		0.040	0.050	0.020	0.060	C	
0.625	0.625	0.150	0.040	0.450		0.040	0.050	0.025	0.055	C	
0.625	0.625	0.150	0.040	0.450		0.040	0.050	0.025	0.060	C	
0.625	0.625	0.150	0.040	0.450		0.040	0.250	0.020	0.060	C	
0.625	0.625	0.150	0.040	0.450	-	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.150	0.040	0.500		0.040	0.050	0.025	0.060	C	
0.625	0.625	0.155	0.040			0.040	0.050	0.020	0.060	C	
0.625	0.625	0.155	0.040	0.450		0.040	0.050	0.025	0.060	C	
0.625	0.625	0.155	0.040	0.450	-	0.040	0.050	0.025	0.065	T	
0.625	0.625	0.155	0.040	0.450	0.450	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.155	0.040	0.500	0.500	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.157	0.040	0.400	-	0.041	0.400	0.020	0.060	T	
0.625	0.625	0.160	0.040	0.400		0.040	0.100	0.020	0.060	C	
0.625	0.625	0.160	0.040	0.400		0.040	0.100	0.025	0.060	C	
0.625	0.625	0.160	0.040	0.400	0.400	0.047	0.100	0.025	0.065	T	
0.625	0.625	0.160	0.040	0.500		0.040	0.050	0.025	0.025	C	
0.625	0.625	0.160	0.040	N/A		N/A	N/A	0.020	0.060	C	
0.625	0.625	0.162	0.040	0.400	0.400	0.040	0.100	0.020	0.060	T	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.625	0.625	0.165	0.040			0.040	0.100	0.020	0.025	C	
0.625	0.625	0.165	0.040	0.400	-	0.040	0.400	0.025	0.065	T	
0.625	0.625	0.166	0.040	0.450	-	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.170	0.040	0.400	0.400	0.040	0.100	0.020	0.060	T	
0.625	0.625	0.170	0.040	0.500	0.500	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.170	0.040	N/A		0.033	0.050	0.020	0.060	C	
0.625	0.625	0.175	0.040	0.400		.015/.010	0.100	0.020	0.060	C	
0.625	0.625	0.175	0.040	0.400		.015/.010	0.100	0.030	0.060	C	
0.625	0.625	0.175	0.040	0.400		0.040	0.100	0.020	0.060	C	
0.625	0.625	0.183	0.040			.040/.038	0.050	0.020	0.060	C	
0.625	0.625	0.195	0.040	0.500	0.500	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.200	0.040	0.450	0.450	0.033	0.050	0.020	0.060	T	
0.625	0.625	0.200	0.040	0.500	0.500	0.033	0.050	0.020	0.060	T	
0.625	0.625	0.215	0.040	0.450	-	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.215	0.040	0.500	0.500	0.034	0.050	0.020	0.060	T	
0.625	0.625	0.215	0.040	0.500	0.500	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.220	0.040	0.450	0.450	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.230	0.040	0.400	0.400	0.047	0.100	0.025	0.065	T	
0.625	0.625	0.440	0.040	0.400	0.115	0.040	0.100	0.010	0.050	T	
0.625	0.625	0.440	0.040	0.400	0.170	0.040	0.100	0.010	0.050	T	
0.625	0.625	0.490	0.040	0.450	0.115	0.040	0.050	0.020	0.060	T	
0.625	0.625	0.540	0.040	0.500	0.120	0.040	0.050	0.020	0.060	T	
0.635	0.390	0.135	0.035	-	0.500	0.040	0.050	0.015	0.050	T	
0.635	0.390	0.135	0.035	0.500		0.035	0.050	0.025	0.025	C	
0.635	0.390	0.140	0.035	0.400	-	0.040	0.050	0.015	0.050	T	
0.635	0.390	0.143	0.035	0.550		0.035	0.050	0.025	0.025	C	
0.635	0.390	0.161	0.036	0.500	-	0.040	0.050	0.025	0.061	T	
0.635	0.635	0.155	0.035	0.400		ODD	0.100	0.025	0.057	C	
0.635	0.635	0.181	0.035	0.400		.040/.019	0.100	0.020	0.057	C	
0.675	0.375	-	0.040	0.500	-	0.040	0.050	0.020	0.060	T	
0.675	0.375	0.170	0.040	0.500	-	0.040	0.050	0.020	0.060	T	
0.675	0.415	0.140	0.040	0.500	-	0.040	0.050	0.015	0.055	T	
0.675	0.415	0.150	0.040	0.500	-	0.040	0.050	0.015	0.055	T	
0.695	0.695	0.142	0.035	0.500		0.040	0.100	0.025	0.025	C	
0.710	0.630	0.155	0.040	N/A		N/A	N/A	0.020	.040 MAX	C	
0.750	0.375	0.180	0.030	0.200		0.040		0.025	0.025	C	
0.750	0.465	0.153	0.040	-	0.200	0.040	0.200	0.020	0.060	T	
0.750	0.750	0.102	0.040					0.006	0.022	C	
0.750	0.750	0.102	0.040	N/A		N/A	N/A	0.006	.022 MAX	C	
0.750	0.750	0.145	0.040	0.585	0.585	0.033	0.045	0.020	0.060	T	
0.750	0.750	0.150	0.040	.300/.500		0.040	0.100	0.020	0.020	C	
0.750	0.750	0.150	0.040	0.600	0.600	0.033	0.050	0.020	0.060	T	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.750	0.750	0.155	0.040	0.600	0.600	0.040	0.050	0.020	0.060	T	
0.750	0.750	0.157	0.040	0.600	-	0.040	0.100	0.020	0.060	T	
0.750	0.750	0.165	0.040	0.500	0.500	0.033	0.050	0.020	0.060	T	
0.750	0.750	0.165	0.040	0.600		0.040	0.050	0.025	0.030	C	
0.750	0.750	0.170	0.040	0.560		0.039	0.080	0.015	0.040	C	
0.750	0.750	0.170	0.040	0.600		0.039	0.100	0.025	0.065	C	
0.750	0.750	0.180	0.040	0.500	-	0.040	0.050	0.025	0.065	T	
0.750	0.750	0.190	0.040	0.300		0.078		0.025	0.025	C	
0.750	0.750	0.250	0.040	0.600		0.040	0.100	0.025	0.060	C	
0.750	0.750	0.280	0.040	0.500	0.500	0.040	0.100	0.020	0.060	T	
0.750	0.750	0.299	0.040	0.600		0.040		0.025	0.030	C	
0.750	0.750	0.640	0.040	0.600	0.110	0.040	0.050	0.020	0.060	T	
0.750	0.750	0.640	0.040	0.600	0.125	0.040	0.050	0.020	0.060	T	
0.750	0.750	0.640	0.040	0.600	0.125	0.040	0.100	0.020	0.060	T	
0.750	0.750	0.640	0.040	0.600	0.130	0.040	0.050	0.020	0.060	T	
0.777	0.307	0.176	0.036	0.400	-	0.040	0.100	0.015	0.051	T	
0.790	0.590	0.157	0.040	0.600		0.040	0.100	0.025	0.060	C	
0.790	0.590	0.180	0.040	0.600	-	0.040	0.050	0.020	0.060	T	
0.790	0.590	0.180	0.040	0.600	-	0.047	0.100	0.020	0.060	T	
0.790	0.590	0.206	0.040	0.500	-	0.040	0.100	0.020	0.060	T	
0.790	0.590	0.640	0.040	-	0.110	0.040	0.100	0.020	0.060	T	
0.795	0.470	0.170	0.040	0.500		0.040	0.050	0.025	0.060	C	
0.795	0.645	0.125	0.040	-	0.500	0.040	0.050	0.010	0.050	T	
0.795	0.645	0.145	0.040	-	0.500	0.040	0.050	0.025	0.065	T	
0.795	4.950	0.155	0.040	0.600		0.040	0.050	0.025	0.060	C	
0.800	0.500	0.640	0.040	-	0.195	0.056	0.100	0.025	0.065	T	
0.805	0.805	0.169	0.040	0.500	-	0.050	0.050	0.025	0.065	T	
0.805	0.805	0.175	0.040	0.500	0.500	0.040	0.050	0.020	0.060	T	
0.805	0.805	0.192	0.040	0.600		0.047	0.100	0.025	0.060	C	
0.805	0.805	0.195	0.040	0.600	-	0.040	0.100	0.020	0.060	T	
0.805	0.805	0.472	0.040	0.600		0.040	0.100	0.020	0.060	C	
0.810	0.810	0.155	0.040	0.600	0.600	0.047	0.100	0.020	0.060	T	
0.810	0.810	0.640	0.040	-	0.110	0.040	0.050	0.020	0.060	T	
0.810	0.810	0.640	0.040	0.600	0.115	0.056	0.100	0.020	0.060	T	
0.818	0.498	0.206	0.038	0.600		0.040	0.100	0.025	0.060	C	
0.820	0.500	0.160	0.040	0.700	-	0.040	0.050	0.020	0.060	T	
0.820	0.500	0.215	0.040	0.600		0.040	0.100	0.020	0.030	C	
0.820	0.500	0.640	0.040	-	0.351	0.056	0.100	0.020	0.060	T	
0.850	0.580	0.156	0.040	0.700		0.041	0.050	0.015	0.051	C	
0.850	0.580	0.170	0.040	0.700	-	0.040	0.050	0.020	0.060	T	
0.850	0.580	0.195	0.040	0.700	-	0.040	0.050	0.020	0.060	T	
0.870	0.500	0.180	0.040	0.700		0.040	0.100	0.020	0.020	C	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.880	0.300	0.155	0.040					0.025	.025 MAX	C	
0.880	0.300	0.155	0.040	0.700		0.040	N/A	0.025	0.035	C	
0.880	0.750	0.295	0.040	0.600		0.055	0.100	0.025	0.060	C	
0.890	0.750	0.296	0.040	0.600		0.081	0.100	0.025	0.060	C	
0.895	0.495	0.155	0.040	0.700	-	0.040	0.050	0.020	0.060	T	
0.945	0.890	0.160	0.040	-	0.700	0.040	0.050	0.020	0.060	T	
0.950	0.800	0.160	0.040	-	0.650	0.040	0.050	0.020	0.060	T	
0.950	0.800	0.180	0.040	0.750	-	0.040	0.050	0.020	0.060	T	
0.970	0.510	0.180	0.040	0.300		0.039	0.100	0.020	0.060	C	
0.975	0.775	0.150	0.040	0.700	-	0.040	0.100	0.020	0.060	T	
0.975	0.775	0.205	0.040	0.800	-	0.047	0.100	0.020	0.060	T	
0.995	0.492	0.170	0.040	0.850	-	0.040	0.050	0.020	0.060	T	
0.995	0.995	0.155	0.040	0.700	-	0.040	0.050	0.020	0.060	T	
0.995	0.995	0.155	0.040	0.800	0.800	0.040	0.050	0.020	0.060	T	
0.995	0.995	0.170	0.040	0.700		.040/.021	0.100	0.025	0.060	C	
0.995	0.995	0.170	0.040	0.700		0.040	0.100	0.025	0.060	C	
0.995	0.995	0.175	0.040	0.700		0.040	0.100	0.020	0.060	C	
0.995	0.995	0.280	0.040	0.700		0.040	0.100	0.025	0.060	C	
0.995	0.995	0.740	0.040	0.700	0.170	0.040	0.100	0.020	0.060	T	
0.998	0.490	0.155	0.040	0.800	-	0.040	0.050	0.020	0.060	T	
0.998	0.490	0.220	0.040	-	0.150	0.040	0.150	0.020	0.060	T	
1.000	0.500	0.150	0.040	0.850	-	0.040	0.050	0.020	0.060	T	
1.000	0.500	0.170	0.040	0.850		0.040	0.050	0.020	0.060	C	
1.000	0.500	0.190	0.040	0.150		0.040	N/A	0.025	0.020	C	
1.000	0.500	0.190	0.040	N/A		0.040	N/A	0.005	0.030	C	
1.000	0.500	0.388	0.040	0.800	-	0.040	0.100	0.020	0.060	T	
1.000	0.525	0.170	0.040	-	0.200	0.040	0.100	0.015	0.055	T	
1.000	0.530	0.185	0.040	0.800	-	0.040	0.050	0.020	0.060	T	
1.000	0.750	0.140	0.040	0.700		0.040	0.300	0.020	0.060	C	
1.000	0.750	0.140	0.040	0.750		0.040	0.050	0.025	0.065	C	
1.000	0.750	0.155	0.040	0.700		0.040	0.100	0.025	0.060	C	
1.000	0.750	0.155	0.040	0.700	-	0.040	0.100	0.010	0.050	T	
1.000	0.750	0.157	0.040	0.700		0.040	0.100	0.025	0.065	C	
1.000	0.750	0.160	0.040	0.800	-	0.040	0.100	0.015	0.055	T	
1.000	0.750	0.161	0.040	0.750	-	0.040	0.050	0.015	0.055	T	
1.000	0.750	0.165	0.040	0.700		0.040	0.100	0.025	0.065	C	
1.000	0.750	0.165	0.040	0.850	-	0.040	0.050	0.020	0.060	T	
1.000	0.750	0.167	0.040	-	0.450	0.040	0.050	0.020	0.060	T	
1.000	0.750	0.170	0.040	0.750		0.040	0.050	0.025	0.065	C	
1.000	0.750	0.170	0.040	0.750	-	0.040	0.050	0.015	0.055	T	
1.000	0.750	0.170	0.040	0.800		.020/.040	0.100	0.020	0.055	C	
1.000	0.750	0.171	0.040	0.750		0.040	0.050	0.025	0.055	C	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.000	0.750	0.177	0.039	0.750		0.040	N/A	0.019	0.059	C	
1.000	0.750	0.180	0.040	0.750	-	0.040	0.050	0.020	0.060	T	
1.000	0.750	0.185	0.040	0.500	-	0.033	0.050	0.020	0.060	T	
1.000	0.750	0.200	0.040	0.500		0.033	0.050	0.025	0.030	C	
1.000	0.750	0.200	0.040	0.800	-	0.040	0.100	0.020	0.060	T	
1.000	0.750	0.790	0.040	-	0.130	0.040	0.050	0.015	0.055	T	
1.000	0.795	0.125	0.040	N/A		N/A	N/A	0.046	0.086	C	
1.000	0.870	0.250	0.040	0.800		0.040	0.100	0.020	0.060	C	
1.000	0.874	0.273	0.040	0.800		0.041	0.100	0.025	0.064	C	
1.000	1.000			0.800		0.065	0.100	0.025	0.063	C	
1.000	1.000		0.040	N/A		N/A	N/A	0.025	.018 MAX	C	
1.000	1.000	-	0.040	0.850	0.850	0.040	0.050	0.025	0.065	T	
1.000	1.000	0.150	0.040	0.850		0.040	0.050	0.025	0.025	C	
1.000	1.000	0.154	0.040	0.700	0.700	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.155	0.040	0.700	-	0.040	0.100	0.020	0.060	T	
1.000	1.000	0.155	0.040	0.700	-	0.040	0.100	0.025	0.065	T	
1.000	1.000	0.155	0.040	0.750	0.750	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.155	0.040	0.800	0.800	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.160	0.040	0.700	-	0.040	0.100	0.020	0.060	T	
1.000	1.000	0.160	0.040	0.750	-	0.033	0.050	0.025	0.065	T	
1.000	1.000	0.165	0.040	0.700		0.040	0.100	0.025	0.030	C	
1.000	1.000	0.170	0.040	N/A		N/A	N/A	0.020	0.060	C	
1.000	1.000	0.175	0.040	0.750	0.750	0.039	0.050	0.020	0.060	T	
1.000	1.000	0.177	0.039	0.700		0.040	0.050	0.019	0.059	C	
1.000	1.000	0.180	0.040	0.750	0.750	0.033	0.050	0.020	0.060	T	
1.000	1.000	0.180	0.040	0.750	0.750	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.180	0.040	0.800	0.800	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.180	0.040	0.850	-	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.190	0.040	0.750		.040/.020	N/A	0.020	0.020	C	
1.000	1.000	0.200	0.040	0.750		0.040	0.050	0.025	0.030	C	
1.000	1.000	0.202	0.040	0.700		0.039	0.100	0.030	0.030	C	
1.000	1.000	0.429	0.040	0.600		0.040	0.100	0.020	0.060	C	
1.000	1.000	0.472	0.040	0.600		0.040	0.100	0.020	0.060	C	
1.000	1.000	0.640	0.040	0.600	0.125	0.056	0.100	0.020	0.060	T	
1.000	1.000	0.790	0.040	0.750	0.115	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.790	0.040	0.750	0.120	0.040	0.050	0.020	0.060	T	
1.000	1.000	0.890	0.040	-	0.144	0.040	0.050	0.025	0.065	T	
1.055	0.650	-	0.040	0.900	-	0.040	0.100	0.020	0.060	T	
1.055	0.650	0.200	0.040	-	0.400	0.040	0.100	0.020	0.060	T	
1.055	0.650	0.200	0.040	-	0.400	0.050	0.100	0.020	0.060	T	
1.070	0.360	0.162	0.040	0.700		.024/.040	0.100	0.020	0.060	C	
1.080	0.540	0.210	0.040	0.800		0.040	0.100	0.025	0.060	C	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.080	0.540	0.210	0.040	ODD		.024/.050	ODD	0.025	0.060	C	
1.085	0.545	0.195	0.040	0.800		0.018	0.100	0.025	0.065	C	
1.095	0.750	0.230	0.040	0.800	-	0.040	0.100	0.025	0.065	T	
1.100	0.870	0.175	0.040	0.900	-	0.040	0.050	0.020	0.060	T	
1.100	0.870	0.940	0.040	-	0.115	0.040	0.050	0.020	0.060	T	
1.100	0.875	0.160	0.040	1.020	-	0.040	0.050	0.015	0.055	T	
1.100	1.100	-	0.040	0.800	0.800	0.040	0.100	0.020	0.060	T	
1.100	1.100	0.170	0.040	0.900	0.900	0.040	0.050	0.020	0.060	T	
1.100	1.100	0.220	0.040	0.900		0.040	0.100	0.020	0.060	C	
1.100	1.100	0.250	0.040	0.900		0.039	0.100	0.025	0.060	C	
1.100	1.100	0.890	0.040	0.850	0.155	0.040	0.050	0.020	0.060	T	
1.129	0.940	0.189	0.039	N/A		0.041	0.100	N/A	N/A	C	
1.130	0.600	0.180	0.040	0.900	-	0.040	0.100	0.025	0.065	T	
1.130	0.660	0.155	0.040	0.800	-	0.040	0.100	0.020	0.060	T	
1.130	0.660	0.165	0.040	0.950	-	0.033	0.050	0.020	0.060	T	
1.130	0.660	0.180	0.040	0.950	-	0.040	0.050	0.020	0.060	T	
1.130	0.660	0.940	0.040	-	0.100	0.033	0.050	0.010	0.050	T	
1.130	0.945	0.150	0.040	0.900	0.700	0.056	0.100	0.020	0.060	T	
1.130	0.945	0.155	0.040	1.000	-	0.040	0.050	0.020	0.060	T	
1.130	0.945	0.180	0.040	0.900	-	0.040	0.050	0.020	0.060	T	
1.131	0.822	0.180	0.040	0.950		0.040	0.050	0.025	0.050	C	
1.150	1.150	0.160	0.040	1.000	-	0.040	0.050	0.025	0.065	T	
1.179	1.179	0.236	0.040	0.950		0.040	0.050	0.020	0.059	C	
1.180	1.180	-	0.040	0.950	0.950	0.040	0.050	0.025	0.065	T	
1.180	1.180	0.150	0.040	0.800	0.800	0.040	0.050	0.020	0.060	T	
1.180	1.180	0.155	0.040	0.900	0.900	0.033	0.050	0.020	0.060	T	
1.180	1.180	0.155	0.040	N/A		0.040	0.050	0.020	0.060	C	
1.180	1.180	0.160	0.040	0.850	-	0.033	0.050	0.020	0.060	T	
1.180	1.180	0.160	0.040	0.850	0.850	0.040	0.050	0.025	0.065	T	
1.180	1.180	0.160	0.040	1.000	1.000	0.040	0.100	0.025	0.065	T	
1.180	1.180	0.162	0.040	0.800		0.020	0.050	0.020	0.059	C	
1.180	1.180	0.165	0.040	1.000	-	0.040	0.100	0.020	0.060	T	
1.180	1.180	0.168	0.040	0.950		0.040	0.050	0.025	0.060	C	
1.180	1.180	0.170	0.040	0.800		0.040	0.050	0.020	0.060	C	
1.180	1.180	0.170	0.040	0.800	0.800	0.040	0.050	0.020	0.060	T	
1.180	1.180	0.170	0.040	0.900	-	0.033	0.050	0.025	0.065	T	
1.180	1.180	0.170	0.040	1.000		0.040	0.050	0.025	0.060	C	
1.180	1.180	0.171	0.040	0.800		.040/.022	0.050	0.020	0.060	C	
1.180	1.180	0.173	0.040	0.800		.040/.020	0.050	0.025	0.060	C	
1.180	1.180	0.180	0.040	0.850	-	0.040	0.050	0.020	0.060	T	
1.180	1.180	0.180	0.040	0.950	0.950	0.033	0.050	0.020	0.060	T	
1.180	1.180	0.180	0.040	0.950	0.950	0.040	0.050	0.020	0.060	T	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.180	1.180	0.215	0.040	0.800		.040/.022	0.050	0.020	0.060	C	
1.180	1.180	0.231	0.050	0.700		0.041		0.025	0.025	C	
1.180	1.180	0.250	0.040	0.900	-	0.040	0.100	0.020	0.060	T	
1.180	1.180	1.050	0.050	1.000	0.150	0.040	0.050	0.020	0.070	T	
1.250	1.250	0.150	0.040	1.050		0.040	0.050	0.025	0.060	C	
1.250	1.250	0.150	0.040	1.100	1.100	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.165	0.040	1.050	1.050	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.170	0.040	1.000	1.000	0.040	0.100	0.020	0.060	T	
1.250	1.250	0.170	0.040	1.050	1.050	0.033	0.050	0.020	0.060	T	
1.250	1.250	0.170	0.040	1.050	1.050	0.047	0.050	0.020	0.060	T	
1.250	1.250	0.170	0.040	1.100	1.100	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.170	0.040	1.100	1.100	0.040	0.100	0.020	0.060	T	
1.250	1.250	0.180	0.040	-	1.100	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.194	0.039	1.100		0.040	0.050	0.025	0.025	C	
1.250	1.250	0.200	0.040	1.100	1.100	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.220	0.040	1.100	-	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.239	0.040	0.950	0.950	0.040	0.050	0.020	0.060	T	
1.250	1.250	0.245	0.040	1.050	-	0.040	0.050	0.020	0.060	T	
1.270	0.770	0.160	0.040	1.100	-	0.040	0.050	0.020	0.060	T	
1.270	0.770	0.160	0.040	1.100	-	0.040	0.100	0.020	0.060	T	
1.270	0.770	0.180	0.040	1.100		0.040	0.050	0.025	0.060	C	
1.270	0.770	0.190	0.040	1.000	-	0.040	0.050	0.020	0.060	T	
1.270	0.770	0.211	0.040	1.100		0.040	N/A	0.020	0.060	C	
1.270	0.970	0.160	0.040	1.10/1.60		0.040	0.100	0.020	0.060	C	
1.270	0.970	0.160	0.040	1.100	-	0.040	0.050	0.020	0.060	T	
1.295	0.720	0.150	0.040	1.100		0.040	0.100	0.020	0.055	C	
1.295	0.720	0.165	0.040	-	0.500	0.040	0.100	0.025	0.065	T	
1.295	0.720	0.165	0.040	0.500		0.019	0.100	0.020	0.050	C	
1.295	0.720	0.165	0.040	0.500		0.040	0.100	0.020	0.060	C	
1.300	0.520	-	0.040	0.300	0.131	0.040	0.075	0.010	0.050	T	
1.315	1.315	0.199	0.039	1.050		0.041	0.050	0.011	0.051	C	
1.315	1.315	0.200	0.040	1.050		0.040	0.050	0.040	0.080	C	
1.315	1.315	0.220	0.039	1.050		0.040	0.050	0.046	0.086	C	
1.327	1.250	0.119	0.040	1.000	-	0.040	0.100	0.020	0.060	T	
1.390	0.998	0.170	0.040	1.100		0.040	0.100	0.025	0.060	C	
1.390	0.998	0.190	0.040	1.100		0.040	0.100			C	
1.400	0.900	0.194	0.039	0.700		0.040	0.050	0.025	.021/.029	C	
1.400	0.945	0.180	0.040	1.200		0.040	0.050	0.025	0.065	C	
1.420	1.420	0.177	0.050	1.100	1.100	0.050	0.100	0.040	0.090	T	
1.430	1.100	0.162	0.040	1.150		0.040	0.050	0.025	0.065	C	
1.470	0.770	0.160	0.040	1.100	-	0.040	0.100	0.020	0.060	T	
1.470	0.770	0.185	0.040	1.200	-	0.040	0.100	0.020	0.060	T	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.480	0.400	0.176	0.040	1.300	-	0.047	0.100	0.015	0.055	T	
1.490	0.400	0.150	0.040	1.200	-	0.040	0.050	0.020	0.060	T	
1.490	0.400	0.165	0.040	1.300	-	0.040	0.100	0.010	0.050	T	
1.490	0.400	0.175	0.040	1.300	-	0.040	0.100	0.025	0.065	T	
1.490	0.545	0.175	0.040	-	0.400	0.040	0.050	0.010	0.050	T	
1.490	0.650	0.190	0.040	1.300	-	0.040	0.050	0.020	0.060	T	
1.495	1.075	0.235	0.040	1.300	-	0.040	0.050	0.025	0.060	C	
1.495	1.075	1.340	0.040	-	0.150	0.040	0.050	0.020	0.060	T	
1.500	1.000	0.157	0.040	1.350	-	0.040	0.050	0.020	0.060	C	
1.500	1.000	0.210	0.020	0.900	-	0.040	N/A	0.020	0.060	C	
1.500	1.000	0.210	0.040	-	0.600	0.040	0.100	0.020	0.060	T	
1.500	1.000	0.210	0.040	0.900	-	0.047	-	0.020	0.060	C	
1.500	1.000	0.210	0.040	0.900	-	0.047	N/A	0.025	0.060	C	
1.500	1.000	0.210	0.040	1.300	-	0.040	0.050	0.020	0.060	T	
1.500	1.200	0.205	0.040	1.200	-	0.040	0.100	0.025	0.065	C	
1.500	1.250	0.205	0.040	0.900	-	.020/.040	0.100	0.020	0.030	C	
1.520	1.070	0.169	0.040	1.400	-	0.050	0.050	0.020	0.059	C	
1.520	1.070	0.180	0.040	1.400	-	0.040	0.050	0.020	0.059	C	
1.520	1.070	0.203	0.040	1.400	-	0.040	-	0.025	0.060	C	
1.520	1.070	0.218	0.040	1.400	-	0.040	0.050	0.020	0.060	C	
1.550	0.950	0.173	0.040	N/A	-	N/A	N/A	0.020	0.059	C	
1.550	0.950	0.174	0.039	-	-	0.040	-	0.019	0.065	C	
1.550	0.950	0.175	0.040	-	-	-	-	0.020	.059 MAX	C	
1.575	1.000	0.185	0.040	1.450	-	0.040	0.050	0.020	0.060	T	
1.575	1.000	0.200	0.040	1.300	-	0.047	0.100	0.020	0.060	T	
1.575	1.000	0.205	0.040	1.400	-	0.040	0.100	0.025	0.065	T	
1.575	1.400	-	-	-	0.150	0.040	0.050	0.025	0.025	T	
1.580	1.380	0.235	0.040	1.300	-	0.040	0.050	0.046	0.086	C	
1.590	0.750	1.440	0.040	-	0.105	0.033	0.100	0.010	0.050	T	
1.590	0.760	0.145	0.040	1.400	-	0.033	0.100	0.010	0.050	T	
1.590	0.760	0.155	0.040	1.400	-	0.040	0.050	0.025	0.065	T	
1.590	0.760	0.170	0.040	1.450	-	0.040	0.050	0.020	0.060	T	
1.590	0.760	0.210	0.040	1.450	-	0.040	0.100	0.025	0.065	C	
1.595	0.565	0.162	0.040	1.350	-	0.040	0.050	0.080	0.120	T	
1.600	1.600	0.200	0.040	1.450	-	0.040	0.050	0.020	0.060	T	
1.650	0.890	0.165	0.040	1.400	-	0.040	0.100	0.015	0.055	T	
1.650	1.250	0.180	0.040	1.400	-	0.040	0.050	0.020	0.060	T	
1.650	1.250	0.180	0.040	1.400	-	0.040	0.050	0.025	0.065	T	
1.695	0.775	0.205	0.040	-	0.600	0.036	0.100	0.020	0.060	T	
1.700	1.000	0.160	0.040	1.100	-	0.040	0.100	0.020	0.060	T	
1.710	1.240	0.335	0.059	1.300	-	0.080	0.100	0.019	0.059	C	
1.715	1.215	0.145	0.040	1.400	-	0.039	0.100	0.020	0.060	C	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.715	1.215	0.175	0.040	1.500		0.015	0.100	0.015	0.055	C	
1.715	1.215	0.180	0.040	-	0.900	0.040	0.050	0.020	0.060	T	
1.715	1.215	0.180	0.040	1.400	-	0.040	0.050	0.020	0.060	T	
1.715	1.215	0.180	0.040	1.500	0.900	0.033	0.050	0.020	0.060	T	
1.715	1.215	0.180	0.040	1.550	-	0.040	0.050	0.020	0.060	T	
1.715	1.215	0.180	0.040	1.550	0.900	0.033	0.050	0.020	0.060	T	
1.715	1.215	1.440	0.040	0.900	0.215	0.040	0.050	0.010	0.050	T	
1.715	1.215	1.590	0.040	-	0.160	0.040	0.050	0.025	0.065	T	
1.730	1.265	0.180	0.030	N/A		N/A	N/A	0.010	0.010	C	
1.740	1.140	0.170	0.040	1.550	-	0.050	0.050	0.020	0.060	T	
1.740	1.140	0.200	0.040	1.500	-	0.040	0.100	0.020	0.060	T	
1.745	1.320	0.350	0.080	0.600		.130/.180	0.200	0.030	0.110	C	
1.750	0.500	0.160	0.040	1.550	-	0.040	0.050	0.020	0.060	T	
1.750	0.500	0.185	0.040			0.050	0.100	0.020	0.060	C	
1.750	0.500	0.240	0.040	1.550	-	0.040	0.050	0.020	0.060	T	
1.750	1.300	0.180	0.040	1.600	-	0.040	0.100	0.020	0.060	T	
1.750	1.300	0.183	0.040	1.600	-	0.040	0.100	0.015	0.055	T	
1.750	1.300	0.190	0.040	1.600	-	0.040	0.050	0.020	0.060	T	
1.750	2.100	0.210	0.050	1.750		0.040	0.050	0.025	0.075	C	
1.800	1.600	0.194	0.039	1.450		0.040	0.050	0.025	0.025	C	
1.830	1.330	0.142	0.040			0.040	0.050	0.030	0.030	C	
1.830	1.330	0.155	0.040	1.600	-	0.040	0.050	0.020	0.060	T	
1.830	1.330	0.175	0.040	1.600		0.040	0.100	0.020	0.060	C	
1.830	1.330	0.190	0.040	1.600	-	0.040	0.100	0.046	0.086	T	
1.860	0.435	0.165	0.040	N/A		0.040	N/A	0.020	0.060	C	
1.880	1.580	0.150	0.040	1.600		0.040	0.050	0.046	0.086	C	
1.890	0.775	0.155	0.040	1.700		0.040	0.100	0.046	0.086	C	
1.895	0.775	0.155	0.040	1.700	-	0.040	0.050	0.020	0.060	T	
1.895	0.775	0.190	0.040	1.700		0.040	0.050	0.046	0.086	C	
1.895	0.775	1.740	0.040	-	0.115	0.040	0.100	0.046	0.086	T	
1.920	1.920	0.472	0.039	1.350		0.050		0.020	0.060	C	
1.925	1.036	0.205	0.040	1.650		N/A	N/S	0.020	0.060	C	
1.968	1.181	0.488	0.040	N/A		N/A	N/A	0.020	0.060	C	
1.970	1.575	0.236	0.040			0.040		0.020	0.055	C	
1.990	1.565	0.235	0.040	1.800		0.060	0.200	0.025	0.025	C	
1.995	0.100	0.175	0.040	1.400		0.040	0.200	0.025	0.060	C	
2.000	0.500	0.185	0.040			0.050	0.100	0.025	0.060	C	
2.000	0.500	0.215	0.040			.054/.0275	0.100	0.040	0.080	C	
2.000	1.000		0.040	1.500		0.040		0.059	0.059	C	
2.000	1.000	-	0.040	1.800	-	0.047	0.100	0.020	0.060	T	
2.000	1.000	0.155	0.040	1.800	-	0.033	0.100	0.020	0.060	T	
2.000	1.000	0.175	0.040	1.800	-	0.040	0.050	0.020	0.060	T	


Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline



Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.

Details



A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
2.000	1.140	0.167	0.040	1.850		0.040	0.050	0.020	0.060	C	
2.000	1.250	0.190	0.040	1.800		0.040	0.050	0.025	0.060	C	
2.000	1.250	0.245	0.040	1.800		0.040	0.050	0.025	0.060	C	
2.000	1.574	0.242	0.040	1.230		0.040	0.050	0.025	0.055	C	
2.000	2.000	0.175	0.040	1.800	-	0.040	0.100	0.020	0.060	T	
2.000	2.000	0.190	0.040	1.800	1.800	0.040	0.050	0.020	0.060	T	
2.000	2.000	0.472	0.039	1.350		N/A	0.050	0.020	0.060	C	
2.000	2.000	1.490	0.040	1.450	0.150	0.040	0.050	0.020	0.060	T	
2.040	1.140	0.180	0.040	1.800	-	0.040	0.050	0.020	0.060	T	
2.040	1.140	0.207	0.040	1.180	-	0.040	0.100	0.020	0.060	T	
2.050	0.980	0.165	0.040	N/A		N/A	N/A	0.020	.060 MAX	C	
2.095	0.750	0.180	0.040	1.100		0.040	0.100	0.025	0.060	C	
2.100	0.950	0.151	0.015	1.900		0.040	0.050	0.020	0.060	C	
2.100	1.700	0.288	0.060	1.706		0.018		0.020	0.079	C	
2.100	1.750	0.170	0.050	N/A		N/A	N/A	0.025	.065 MAX	C	
2.100	1.750	0.190	0.050	1.750		0.040	0.050	0.025	0.065	C	
2.100	1.750	0.190	0.050	1.900		0.040	0.100	0.025	0.065	C	
2.100	1.870	0.167	0.040	1.850		0.034	0.050	0.046	0.086	C	
2.100	1.870	0.227	0.040	-	1.350	0.040	0.050	0.046	0.086	T	
2.110	1.110	0.390	0.050	N/A		N/A	N/A	0.050	0.090	C	
2.117	1.360	0.190	0.040	1.800		0.040	0.100	0.046	0.086	C	
2.117	1.365	0.255	0.040	1.850		0.050	0.100	0.051	0.086	C	
2.190	1.320	0.250	0.080	0.600		.180/.130	0.200	0.030	0.110	C	
2.190	1.320	0.300	0.070	0.800		.130/.180	0.200	0.030	0.110.	C	
2.190	1.320	0.310	0.080	0.800		.130/.140	0.200	0.027	0.110	C	
2.190	1.320	0.310	0.080	0.800		.130/.140	0.200	0.030	0.110	C	
2.190	1.320	0.330	0.060	0.800		.130/.180	0.200	0.040	0.110	C	
2.190	1.320	0.330	0.080	0.800		.130/.160	0.200	0.027	0.110	C	
2.200	1.160	0.180	0.040	2.000		0.040	0.050	0.025	0.030	C	
2.200	1.160	0.185	0.040	2.000	-	0.040	0.050	0.020	0.060	T	
2.200	1.160	0.237	0.040	2.000	-	0.040	0.050	0.025	0.065	T	
2.240	1.600	0.178	0.040	1.900		0.040	0.100	0.020	0.060	C	
2.300	1.000	0.155	0.040	1.900	-	0.040	0.100	0.020	0.060	T	
2.300	1.000	0.155	0.040	1.900	-	0.047	0.100	0.020	0.060	T	
2.300	1.000	0.173	0.040	1.950		0.040	0.050	0.020	0.060	C	
2.300	1.000	0.175	0.040	2.150		0.040	0.050	0.020	0.060	C	
2.300	1.000	0.175	0.040	2.150	-	0.040	0.050	0.020	0.060	T	
2.300	1.000	0.185	0.040	1.950	-	0.040	0.050	0.020	0.060	T	
2.300	1.000	0.205	0.040	1.900	-	0.040	0.100	0.020	0.060	T	
2.300	1.000	0.210	0.040	0.700		0.040	0.100	0.020	0.060	C	
2.300	1.400	-	0.050	1.100	0.135	0.047	0.100	0.040	0.090	T	
2.300	1.400	0.207	0.040	1.900	-	0.040	0.100	0.020	0.060	T	

Hybrid Packages

Sinclair Tub Flatpack Series (HTF)

Outline

Image



- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.

Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
2.300	1.400	1.990	0.040	-	0.150	0.040	0.050	0.020	0.060	T	
2.370	1.300	0.139	0.040	2.100		0.040	0.050	0.030	0.055	C	
2.370	1.300	0.190	0.040	2.100		0.040	0.050	0.025	0.065	C	
2.370	1.300	0.201	0.050	2.100		0.039	0.050	0.020	0.065	C	
2.375	2.000	0.170	0.040	1.700		0.039	N/A	0.020	0.060	C	
2.375	2.000	0.190	0.040	2.100	-	0.040	0.050	0.020	0.060	T	
2.375	2.000	0.191	0.040	2.100		0.040	N/A	0.020	0.060	C	
2.380	1.580	0.215	0.040	1.200		.039/.050	N/A	0.046	0.086	C	
2.500	1.917	0.210	0.040	1.350		0.047	0.060	0.030		C	
2.500	2.500	0.210	0.040	2.250	2.250	0.040	0.050	0.025	0.065	T	
2.500	2.500	0.250	0.040	2.250		0.040	0.050	0.025	0.030	C	
2.500	2.500	0.253	0.040	2.250		0.039	0.050	0.025	0.025	C	
2.600	1.400	0.155	0.040	2.400	-	0.040	0.100	0.015	0.055	T	
2.600	1.400	0.155	0.040	2.450	-	0.040	0.050	0.015	0.055	T	
2.600	1.400	0.188	0.040	2.450	-	0.040	0.050	0.015	0.055	T	
2.600	1.400	0.190	0.040	N/A		N/A	N/A	0.015	0.055	C	
2.600	1.400	0.190	0.040	N/A		N/A	N/A	0.025	0.025	C	
2.600	1.420	0.150	0.040	2.450		.020/.040	0.050	0.025	0.055	C	
2.660	2.100	0.195	0.035					0.020	0.060	C	
2.850	0.565	0.165	0.040	0.200		0.060	N/A	0.046	0.086	C	
5.035	5.035	0.212	0.040			0.041		0.025	0.064	C	