


Hybrid Packages



Standard Flatpacks, Plug-ins and Platforms are available in all industry common configurations

All in-house operations (Engineering and Manufacturing) enable Sinclair to accommodate any custom requirement.


High-volume, Low-Volume? Manufacturing flexibility offers the capability of CNC machining for prototypes or small runs to power presses for high-volume production.

Sinclair


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.256	0.197	0.150	0.040					0.020	0.025	T	
0.260	0.650	0.290	0.040					0.020	0.060	C	
0.280	0.415	0.115	0.035					0.025	0.055	C	
0.375	0.375	0.200	0.040					0.020	0.060	T	
0.375	0.625	0.190	0.040					0.015	0.055	C	
0.380	0.250	0.115	0.025					0.020	0.025	T	
0.380	0.380	0.145	0.020					0.020	0.020	T	
0.384	0.380	0.150	0.025					0.025	0.025	T	
0.385	0.250	0.140	.025/.020					0.025	0.025	T	
0.400	0.400	0.160	0.040					0.020	0.060	T	
0.400	2.350	0.180	0.040					0.020	0.060	C	
0.400	2.500	0.165	0.040					0.020	0.060	C	
0.410	0.275	0.090	0.025					0.025	0.025	T	
0.415	0.280	0.140	0.036					0.015	0.055	T	
0.415	0.418	0.140	0.036	0.200	0.300	0.033	0.100	0.015	0.055	T	
0.417	0.417	0.157	0.043					0.020	0.060	T	
0.420	0.290	0.126	0.036					0.020	0.056	T	
0.427	0.415	0.200	.055/.040					0.015	0.055	T	
0.440	0.275	0.150	0.040					0.020	0.060	T	
0.440	0.305	0.200	0.040					0.015	0.050	T	
0.450	0.220	0.140	0.040					0.025	0.025	T	
0.450	0.320	0.140	0.040					0.025	0.040	T	
0.470	0.795	0.190	0.040	0.300	0.600	0.042	0.100	0.020	0.060	C	
0.480	1.000	0.352	0.040	0.300	0.700	0.047	0.100	0.020	0.060	C	
0.490	0.820	0.260	0.040	0.300	0.600	0.042	0.100	0.020	0.060	C	
0.490	0.998	0.140	0.040	0.300	0.700	0.042	0.100	0.020	0.060	C	
0.490	0.998	0.345	0.040	0.300	0.800	0.042	0.100	0.020	0.060	C	
0.495	0.895	0.240	0.040	0.300	0.700	0.042	0.100	0.020	0.060	C	
0.498	0.998	0.240	0.040	0.300	0.800	0.042	0.100	0.020	0.060	C	
0.498	1.070	0.197	0.047					0.030	0.080	C	
0.500	0.375	0.200	0.035					0.020	0.025	T	
0.500	0.375	0.200	0.040					0.020	0.060	T	
0.500	0.420	0.200	0.040					0.032	0.040	T	
0.500	0.500	0.105	.035/.020					0.025	0.025	T	
0.500	0.500	0.105	0.040					0.025	0.055	T	
0.500	0.500	0.155	0.040	0.300	0.300	0.056	0.100	0.015	0.055	C	
0.500	0.500	0.170	0.050					0.040	0.090	T	
0.500	0.500	0.185	0.040					0.025	0.025	T	
0.500	0.800	0.166	0.040	0.300	0.600	0.059	0.100	0.020	0.060	C	
0.500	0.820	0.200	0.040	0.300	0.600	0.056	0.100	0.020	0.060	C	
0.505	0.505	0.225	0.030					0.020	0.025	T	
0.510	0.385	0.160	0.040	0.230	0.350	0.040	.075/.100	0.010	0.050	T	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.510	0.385	0.200	0.040					0.020	0.060	T	
0.510	0.385	0.250	0.040					0.000	0.020	T	
0.510	0.400	0.250	0.040					0.020	0.060	T	
0.520	1.170	0.040	0.040							C	
0.525	0.525	0.145	0.036					0.015	0.055	T	
0.525	0.525	0.175	0.035					0.020	0.060	C	
0.525	1.670	0.295	0.040					0.012	0.052	C	
0.540	0.500	0.200	0.040					0.010	0.050	T	
0.540	0.540	0.195	0.050					0.030	0.080	T	
0.540	0.540	0.400	0.050					0.020	0.070	T	
0.540	0.540	0.400	0.050					0.025	0.025	T	
0.540	0.910	0.340	0.060					0.030	0.090	C	
0.540	1.080	0.265	0.040	0.300	0.800	0.042	0.100	0.020	0.060	C	
0.550	0.550	0.200	0.040					0.020	0.060	T	
0.560	0.605	0.165	0.040					0.020	0.060	C	
0.560	1.160	0.290	0.040					0.020	0.060	C	
0.565	1.165	0.260	0.040	0.400	1.000	0.042	0.100	0.020	0.060	C	
0.565	1.595	0.200	0.040	0.375	1.395	0.042	0.075	0.020	0.060	C	
0.565	1.595	0.220	0.040	0.400	1.300	0.042	0.100	0.020	0.060	C	
0.565	2.850	0.190	0.040	0.300	2.700	0.042	0.100	0.046	0.086	C	
0.570	1.048	0.110	0.040	0.300	0.890	0.042	0.100	0.040	0.080	C	
0.580	0.580	0.250	0.050					0.030	0.080	T	
0.580	3.350	0.180	0.040	0.400	3.100	0.056	0.100	0.046	0.086	C	
0.585	1.815	0.205	0.035					0.025	0.060	C	
0.590	0.790	0.200	0.040	0.400	0.600	0.042	0.100	0.020	0.060	C	
0.590	1.590	0.225	0.040	0.375	1.400	0.042	0.100	0.020	0.060	C	
0.600	1.500	0.190	0.040					0.010	0.050	C	
0.617	0.217	0.145	0.036					0.015	0.050	T	
0.625	0.375	0.200	0.020					0.010	0.020	T	
0.625	0.375	0.200	0.040					0.020	0.060	T	
0.625	0.500	0.200	0.040					0.015	0.055	T	
0.625	0.500	0.200	0.040					0.020	0.025	T	
0.625	0.500	0.200	0.040					0.020	0.060	T	
0.625	0.625	0.040	0.040					0.020	0.060	C	
0.625	0.625	0.200	0.040					0.010	0.050	T	
0.625	0.625	0.200	0.040					0.030	0.070	T	
0.625	0.625	0.200	0.040	0.400	0.400	0.047	0.100	0.020	0.060	T	
0.625	0.625	0.220	0.040	0.400	0.400	0.042	0.100	0.030	0.070	C	
0.625	0.625	0.230	0.040	0.400	0.400	0.042	0.100	0.015	0.055	C	
0.625	0.625	0.250	0.040					0.020	0.020	T	
0.630	1.122	0.355	0.040					0.020	0.059	C	
0.635	0.390	0.105	0.036					0.015	0.046	T	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.

Details



A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.635	0.390	0.175	0.036					0.015	0.055	T	
0.635	0.390	0.205	0.040					0.025	0.065	T	
0.635	0.635	0.135	0.035	0.400	0.400	0.042	0.100	0.020	0.057	C	
0.635	0.795	0.165	0.040					0.020	0.060	C	
0.635	1.185	0.240	0.040	0.400	1.000	0.042	0.100	0.012	0.051	C	
0.635	1.705	0.240	0.040	0.450	1.500	0.042	0.100	0.012	0.051	C	
0.635	1.705	0.240	0.040	0.500	1.500	0.042	0.100	0.012	0.051	C	
0.635	2.105	0.240	0.040	0.450	1.900	0.056	0.100	0.012	0.051	C	
0.650	1.400	0.280	0.040					0.020	0.060	C	
0.660	0.560	0.200	0.040					0.010	0.050	T	
0.675	0.375	0.200	0.040					0.020	0.050	T	
0.675	0.415	0.200	0.040					0.015	0.050	T	
0.680	1.080	0.190	0.040	0.500	0.900	0.042	0.100	0.020	0.060	C	
0.690	0.545	0.300	.050/.080					0.015	0.075	T	
0.720	1.090	0.217	0.042	0.400	0.900	0.047	0.100	0.019	0.060	C	
0.720	1.090	0.217	0.042	0.400	0.900	0.050	0.100	0.019	0.060	C	
0.727	0.770	0.165	0.040					0.020	0.060	C	
0.740	0.808	0.300	0.080					0.046	0.126	C	
0.740	1.888	0.200	0.040					0.046	0.085	C	
0.750	0.465	0.200	0.040					0.020	0.020	T	
0.750	0.750	0.150	0.040					0.025	0.025	T	
0.750	0.750	0.225	0.040	0.600	0.600	0.042	0.100	0.015	0.020	C	
0.750	0.750	0.250	0.040	0.600	0.600	0.042	0.100	0.020	0.060	C	
0.750	0.750	0.280	0.040	0.600	0.600	0.047	0.100	0.020	0.060	T	
0.750	0.750	0.310	0.040					0.020	0.025	T	
0.750	1.000	0.200	0.040	0.600	0.800	0.042	0.100	0.015	0.055	C	
0.750	2.095	0.220	0.040	0.600	1.900	0.042	0.100	0.020	0.060	C	
0.750	2.190	0.160	0.040					0.020	0.060	C	
0.766	0.968	0.040	0.040							C	
0.770	1.270	0.230	0.040	0.600	1.100	0.042	0.100	0.046	0.086	C	
0.770	1.270	0.295	0.040	0.600	1.100	0.056	0.100	0.020	0.060	C	
0.770	1.470	0.240	0.040	0.600	1.300	0.056	0.100	0.020	0.060	C	
0.771	1.689	0.170	0.040	0.600	1.500	0.056	0.100	0.020	0.060	C	
0.775	0.975	0.240	0.030	0.600	0.800	0.042	0.100	0.030	0.060	C	
0.775	0.975	0.260	0.040	0.600	0.700	0.042	0.100	0.020	0.060	C	
0.775	0.975	0.260	0.040	0.600	0.800	0.042	0.100	0.020	0.060	C	
0.775	1.895	0.215	0.040	0.600	1.700	0.056	0.100	0.046	0.086	C	
0.775	1.895	0.230	0.040	0.600	1.700	0.056	0.100	0.046	0.086	C	
0.775	1.895	0.240	0.040	0.600	1.700	0.056	0.100	0.046	0.086	C	
0.775	1.910	0.195	0.040	0.600	1.700	0.056	0.100	0.046	0.086	C	
0.775	2.875	0.040	0.040							C	
0.775	2.880	0.230	0.040	0.600	2.700	0.056	0.100	0.046	0.086	C	

Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline

Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.777	0.307	0.190	0.036					0.015	0.050	T	
0.787	1.496	0.275	0.040					0.019	0.060	C	
0.790	0.590	0.185	0.040	0.400	0.600	0.047	0.100	0.020	0.060	T	
0.790	0.590	0.257	0.040	0.400	0.600	0.047	0.100	0.020	0.060	T	
0.795	0.470	0.200	0.040	0.300	0.600	0.047	0.100	0.020	0.060	T	
0.795	0.490	0.200	0.040	0.300	0.600	0.047	0.100	0.020	0.060	T	
0.795	0.495	0.200	0.040	0.300	0.600	0.047	0.100	0.020	0.060	T	
0.795	0.645	0.175	0.040					0.025	0.025	T	
0.795	0.645	0.200	0.040					0.010	0.050	T	
0.795	1.000	0.360	0.040	0.600	0.700	0.042	0.100	0.047	0.087	C	
0.795	1.295	0.200	0.040	0.600	1.100	0.042	0.100	0.020	0.060	C	
0.795	1.370	0.040	0.040							C	
0.800	0.500	0.184	0.040	0.150	0.400	0.057	0.400	0.020	0.060	T	
0.800	0.500	0.195	0.040					0.025	0.025	T	
0.800	0.500	0.209	0.040	0.300	0.600	0.059	0.100	0.020	0.060	T	
0.800	0.500	0.250	0.040	0.300	0.600	0.056	0.100	0.020	0.060	T	
0.800	0.950	0.250	0.040	0.600	0.700	0.042	0.100	0.020	0.060	C	
0.805	0.805	0.200	0.040					0.010	0.025	T	
0.805	0.805	0.200	0.040					0.020	0.060	T	
0.805	0.805	0.250	0.040	0.600	0.600	0.042	0.100	0.020	0.055	C	
0.810	0.810	0.200	0.040					0.020	0.060	T	
0.810	1.510	0.280	0.060	0.600	1.200	0.070	0.200	0.020	0.080	C	
0.820	0.380	0.200	0.040					0.032	0.040	T	
0.820	0.490	0.180	0.040	0.300	0.600	0.047	0.100	0.020	0.060	T	
0.820	0.500	0.140	0.040					0.020	0.025	T	
0.820	0.500	0.200	0.040					0.020	0.060	T	
0.820	0.500	0.366	0.040	0.300	0.600	0.045	0.100	0.020	0.060	T	
0.820	0.500	0.385	0.040	0.300	0.600	0.056	0.100	0.020	0.060	T	
0.820	0.500	0.470	0.040	0.300	0.600	0.061	0.100	0.025	0.060	T	
0.822	1.131	0.205	0.040	0.600	0.900	0.042	0.100	0.012	0.047	C	
0.828	0.578	0.315	0.040					0.020	0.060	T	
0.850	0.580	0.200	0.040					0.020	0.055	T	
0.850	1.195	0.254	0.044	0.600	1.000	0.042	0.100	0.047	0.090	C	
0.855	0.950	0.040	0.040							C	
0.870	0.500	0.200	0.040	0.300	0.600	0.060	0.100	0.020	0.060	T	
0.870	1.100	0.215	0.040					0.015	0.055	C	
0.890	0.590	0.200	0.040	0.400	0.600	0.047	0.100	0.020	0.060	T	
0.890	0.590	0.200	0.040	0.400	0.700	0.047	0.100	0.020	0.060	T	
0.895	0.495	0.250	0.040	0.400	0.700	0.047	0.100	0.020	0.060	T	
0.900	0.840	0.350	0.030					0.020	0.045	T	
0.900	1.200	0.275	0.050	0.700	1.000	0.056	0.100	0.032	0.078	C	
0.900	1.670	0.240	0.040	0.700	1.500	0.056	0.100	0.020	0.060	C	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
0.900	2.120	0.240	0.040	0.700	1.900	0.056	0.100	0.020	0.060	C	
0.900	2.900	0.155	0.040					0.020	0.060	C	
0.936	1.140	0.215	0.040	0.600	0.900	0.042	0.100	0.115	0.155	C	
0.945	0.890	0.200	0.040					0.020	0.060	T	
0.945	1.130	0.155	0.040					0.015	0.055	C	
0.945	1.400	0.210	0.040					0.020	0.060	C	
0.950	0.800	0.200	0.040	0.600	0.700	0.047	0.100	0.020	0.060	T	
0.950	0.855	0.200	0.040	0.700	0.700	0.040	0.100	0.020	0.060	T	
0.950	1.655	0.220	0.040	0.600	1.400			0.020	0.060	C	
0.950	2.100	0.175	0.040					0.020	0.060	C	
0.955	0.995	0.268	0.040	0.850	0.850	0.042		0.020	0.060	C	
0.970	0.500	0.215	0.040	0.300	0.700	0.047	0.100	0.020	0.060	T	
0.970	1.270	0.240	0.040	0.800	1.100	0.042	0.100	0.020	0.060	C	
0.970	1.970	0.040	0.040							C	
0.975	0.580	0.200	0.040					0.015	0.050	T	
0.975	0.775	0.200	0.040	0.600	0.700	0.044	0.100	0.020	0.060	T	
0.975	0.775	0.200	0.040	0.600	0.800	0.044	0.100	0.020	0.060	T	
0.975	0.775	0.200	0.040	0.600	0.800	0.047	0.100	0.020	0.060	T	
0.975	0.775	0.210	0.030	0.600	0.800	0.047	0.100	0.030	0.060	T	
0.978	1.270	0.040	0.040							C	
0.980	1.380	0.240	0.040	0.800	1.100	0.042	0.100	0.046	0.086	C	
0.982	1.030	0.020	0.020							C	
0.990	1.990	0.240	0.040	0.800	1.800	0.056	0.100	0.020	0.060	C	
0.992	0.992	0.457	0.050	0.600	0.750	0.043	0.200	0.025	0.050	T	
0.995	0.492	0.200	0.040	0.300	0.800	0.047	0.100	0.020	0.060	T	
0.995	0.995	0.190	0.040	0.850	0.850	0.047	0.100	0.020	0.060	T	
0.995	0.995	0.200	0.040	0.800	0.800	0.047	0.100	0.020	0.060	T	
0.995	0.995	0.200	0.040	0.850	0.850	0.042	0.100	0.020	0.060	C	
0.995	0.995	0.250	0.040	0.800	0.800	0.042	0.200	0.020	0.060	C	
0.995	0.995	0.268	0.040	0.800	0.800	0.042	0.100	0.020	0.060	C	
0.995	0.995	0.290	0.040	0.750	0.750	.070/.031	0.250	0.020	0.060	T	
0.995	1.495	0.200	0.040	0.800	1.300	0.056	0.100	0.020	0.060	C	
0.998	0.490	0.140	0.040	0.300	0.800	0.044	0.100	0.020	0.060	T	
0.998	0.490	0.240	0.040	0.300	0.800	0.047	0.100	0.020	0.060	T	
1.000	0.480	0.352	0.040	0.300	0.800	0.047	0.100	0.020	0.060	T	
1.000	0.500	0.200	0.040					0.010	0.050	T	
1.000	0.500	0.200	0.040					0.020	0.050	T	
1.000	0.500	0.388	0.040					0.020	0.060	T	
1.000	0.525	0.200	0.040					0.015	0.055	T	
1.000	0.530	0.155	0.040					0.020	0.060	T	
1.000	0.530	0.185	0.040					0.015	0.055	T	
1.000	0.600	0.200	0.040					0.020	0.060	T	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.000	0.750	0.200	0.040					0.015	0.055	T	
1.000	0.750	0.200	0.040					0.020	0.020	T	
1.000	0.750	0.200	0.040					0.020	0.060	T	
1.000	1.000	0.200	0.040					0.025	0.025	T	
1.000	1.000	0.200	0.040	0.800	0.800	0.047	0.100	0.020	0.060	T	
1.000	1.000	0.210	0.050	0.800	0.800	0.042	0.100	0.036	0.078	C	
1.000	1.100	0.310	0.060					0.020	0.080	C	
1.000	1.500	0.265	0.040	0.800	1.300	0.056	0.100	0.020	0.060	C	
1.000	2.300	0.200	0.040					0.020	0.060	C	
1.036	1.925	0.160	0.040	0.800	1.700	0.042	0.100	0.020	0.025	C	
1.036	1.925	0.210	0.040	0.800	1.700	0.042	0.100	0.020	0.060	C	
1.040	1.540	0.280	0.040	0.800	1.300	0.056	0.100	0.020	0.060	C	
1.040	1.540	0.280	0.040	0.800	1.300	0.060		0.020	0.060	C	
1.055	0.650	0.200	0.040					0.020	0.060	T	
1.070	1.520	0.200	0.040	0.800	1.300	0.056	0.100	0.020	0.060	C	
1.075	1.075	0.335	0.040	0.800	0.800	0.047	0.100	0.045	0.085	T	
1.075	1.495	0.170	0.040	0.900	1.200	0.056	0.100	0.020	0.060	C	
1.075	1.495	0.240	0.040	0.800	1.300	0.056		0.020	0.060	C	
1.075	1.495	0.265	0.040	0.900	1.200	0.056	0.100	0.020	0.060	C	
1.075	1.495	0.265	0.040	0.900	1.275	0.042	0.075	0.020	0.060	C	
1.080	0.680	0.200	0.040	0.500	0.900	0.047	0.100	0.020	0.060	T	
1.085	0.545	0.240	0.040					0.020	0.060	T	
1.090	0.720	0.180	0.040	0.400	0.900	0.056	0.100	0.020	0.060	T	
1.090	1.370	0.220	0.040	0.900	1.200	0.056	0.100	0.020	0.060	C	
1.095	0.750	0.212	0.040					0.025	0.025	T	
1.095	1.095	0.200	0.040	0.900	0.900	0.056	0.100	0.020	0.060	T	
1.095	1.795	0.342	0.042	0.900	1.500	0.050		0.020	0.060	C	
1.097	1.097	0.190	0.040	0.800	0.900	0.042	0.100	0.046	0.086	C	
1.097	1.097	0.200	0.040	0.900	.900/.750	0.047	0.075	0.046	0.086	T	
1.097	1.097	0.205	0.040	0.900	0.900	0.056	0.100	0.020	0.060	C	
1.097	1.097	0.240	0.040	0.800	0.800	0.042	0.100	0.046	0.086	C	
1.097	1.097	0.245	0.040	0.900	0.900	0.042	0.075	0.046	0.086	C	
1.100	0.870	0.135	0.040					0.020	0.060	T	
1.100	0.870	0.200	0.040					0.015	0.050	T	
1.100	1.000	0.380	0.060					0.020	0.080	T	
1.100	1.100	0.200	0.040	0.900	0.900	0.056	0.100	0.020	0.060	T	
1.100	1.100	0.203	0.040	.900/.825	.900/.750	0.047	0.075	0.046	0.086	T	
1.100	1.100	0.205	0.040	0.800	0.800	0.056	0.100	0.046	0.086	T	
1.100	1.100	0.205	0.040	0.900	0.900	0.047	0.075	0.046	0.086	T	
1.100	1.100	0.205	0.040	0.900	0.900	0.047	0.100	0.046	0.086	T	
1.100	1.200	0.280	0.040	0.900	1.000	0.042	0.100	0.020	0.060	C	
1.100	1.375	0.265	0.040	0.900	1.200	0.056	0.100	0.046	0.086	C	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.100	1.400	0.195	0.040					0.040	0.046	C	
1.100	2.190	0.190	0.040	0.900	2.000	0.056	0.100	0.020	0.060	C	
1.100	2.240	0.210	0.040	0.900	2.100	0.056	0.100	0.020	0.060	C	
1.100	2.300	0.295	0.040	0.900	2.100	0.056	0.100	0.020	0.060	C	
1.100	2.400	0.190	0.040	0.900	2.200	0.056	0.100	0.020	0.060	C	
1.110	2.110	0.500	0.050					0.050	0.090	C	
1.120	1.450	0.320	0.050	0.800	0.900	0.102		0.050	0.090	C	
1.130	0.660	0.200	0.040					0.020	0.060	T	
1.130	0.660	0.200	0.040					0.025	0.025	T	
1.130	0.945	0.150	0.040					0.020	0.060	T	
1.130	4.000	0.240	0.040	0.900	3.800	0.056	0.100	0.020	0.060	C	
1.132	0.662	0.275	0.040					0.020	0.060	T	
1.140	0.936	0.175	0.040	0.600	0.900	0.047	0.100	0.115	0.155	T	
1.140	1.240	0.270	0.040	0.900		0.042	0.100	0.042	0.086	C	
1.140	1.740	0.215	0.040	0.900	1.400	0.056	0.100	0.115	0.155	C	
1.140	1.740	0.220	0.040	0.900	1.400	0.056	0.100	0.115	0.155	C	
1.140	1.740	0.240	0.040	0.900	1.400	0.056	0.100	0.020	0.060	C	
1.140	1.740	0.240	0.040	0.900	1.500	0.050	0.100	0.115	0.155	C	
1.140	1.740	0.290	0.040	0.900	1.500	0.050	0.100	0.020	0.060	C	
1.140	1.930	0.190	0.040	0.900	1.600	0.056	0.100	0.046	0.086	C	
1.140	1.930	0.220	0.040	0.900	1.600	0.056	0.100	0.046	0.086	C	
1.140	2.040	0.290	0.040					0.020	0.060	C	
1.140	2.140	0.177	0.040	0.900	1.800	0.056	0.100	0.020	0.060	C	
1.140	2.140	0.220	0.040	0.900	1.900	0.056	0.200	0.020	0.060	C	
1.140	2.140	0.230	0.040	0.900	1.800	0.056	0.200	0.020	0.060	C	
1.140	2.140	0.315	0.040	0.900	1.800	0.056	0.200	0.020	0.060	C	
1.140	2.140	0.340	0.040	0.900	1.900	0.056	0.100	0.020	0.060	C	
1.140	2.140	0.350	0.040	0.900	1.800	0.056	0.200	0.020	0.060	C	
1.150	1.150	0.200	0.040					0.025	0.025	T	
1.150	3.610	0.215	0.040	0.975	3.440	0.042	0.065	0.046	0.086	C	
1.170	0.70	0.200	0.040					0.020	0.060	T	
1.175	0.575	0.200	0.040	0.400	1.000	0.047	0.100	0.020	0.060	T	
1.180	1.180	0.220	0.040					0.020	0.060	T	
1.180	1.180	0.240	0.040					0.020	0.060	C	
1.180	1.180	0.240	0.040					0.025	0.025	C	
1.180	1.180	0.250	0.040					0.010	0.025	T	
1.180	1.180	0.250	0.040					0.025	0.025	T	
1.180	1.180	0.330	0.050					0.020	0.020	T	
1.200	1.295	0.040	0.040							C	
1.200	1.295	0.200	0.040					0.020	0.060	C	
1.200	1.500	0.220	0.040	1.000	1.300	0.056	0.100	0.020	0.060	C	
1.200	1.795	0.200	0.040					0.020	0.060	C	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.200	1.995	0.200	0.040					0.020	0.060	C	
1.200	2.195	0.200	0.040					0.020	0.060	C	
1.215	1.715	0.205	0.040					0.015	0.055	C	
1.240	1.140	0.170	0.040	0.900	0.900	0.047	0.100	0.020	0.060	T	
1.242	1.757	0.240	0.040					0.020	0.060	C	
1.245	1.765	0.225	0.040	1.050	1.555	0.043	0.100	0.015	0.055	C	
1.247	1.247	0.250	0.040	1.100	1.100	0.050	0.100	0.015	0.055	C	
1.247	1.765	0.220	0.040	1.100	1.400	0.042	0.100	0.015	0.055	C	
1.247	1.765	0.220	0.040	1.050	1.500	0.050	0.100	0.015	0.055	C	
1.247	1.767	0.222	0.042	1.100	1.400	0.042	0.100	0.015	0.055	C	
1.247	1.767	0.222	0.042	1.050	1.500	0.050	0.100	0.015	0.055	C	
1.250	1.000	0.200	0.040					0.025	0.025	T	
1.250	1.250	0.200	0.040	1.100	1.100	0.047	0.100	0.020	0.060	T	
1.250	1.250	0.290	0.040	1.100	1.100	0.042	0.100	0.020	0.060	C	
1.250	1.250	0.380	0.040					0.020	0.060	T	
1.250	1.327	0.270	0.040							C	
1.250	1.677	0.270	0.040	1.100	1.500	0.042	0.100	0.020	0.060	C	
1.250	1.900	0.362	0.040	0.780	1.030	0.101	0.033	0.020	0.060	C	
1.250	2.000	0.290	0.040	1.100	1.800	0.056	0.100	0.020	0.060	C	
1.250	2.077	0.270	0.040	1.100	1.900	0.056	0.100	0.020	0.060	C	
1.270	0.770	0.200	0.040	0.600	1.100	0.040	0.100	0.020	0.060	T	
1.270	0.770	0.210	0.040	0.600	1.100	0.047	0.100	0.020	0.060	T	
1.270	0.770	0.386	0.040	0.600	1.100	0.056	0.100	0.020	0.060	T	
1.270	0.970	0.200	0.040	.800/.600	.000/1.000	0.047	0.100	0.020	0.060	T	
1.270	0.970	0.200	0.040	0.800	1.100	0.040	0.100	0.020	0.060	T	
1.270	0.970	0.200	0.040	0.800	1.100	0.047	0.100	0.020	0.060	T	
1.270	1.270	0.186	0.040	1.100	1.100	0.043	0.100	0.020	0.060	C	
1.270	1.270	0.200	0.040	1.100	1.100	0.047	0.100	0.020	0.060	T	
1.295	0.720	0.200	0.040					0.025	0.065	T	
1.295	1.295	0.200	0.040	1.100	1.100	0.056	0.100	0.020	0.060	T	
1.300	0.500	0.200	0.040	0.300	1.000	0.042	0.100	0.020	0.060	T	
1.300	0.520	0.200	0.040	0.300	1.100	0.047	0.100	0.025	0.025	T	
1.300	1.100	0.486	0.040	0.900	0.800	0.056	0.200	0.050	0.090	T	
1.300	1.580	0.255	0.040	1.100	1.100	0.042	0.100	0.046	0.086	C	
1.300	2.370	0.240	0.040	0.900	2.100	0.064	0.100	0.020	0.060	C	
1.300	2.370	0.250	0.050	0.900	2.100	0.064	0.100	0.015	0.065	C	
1.315	1.315	0.200	0.040	1.100	1.100	0.047	0.075	0.046	0.086	T	
1.315	1.315	0.200	0.040	1.100	1.100	0.047	0.100	0.046	0.086	T	
1.315	1.315	0.200	0.040	1.100	1.100	0.056	0.100	0.046	0.086	T	
1.315	1.315	0.300	0.040	1.100	1.100	0.050	0.100	0.046	0.086	C	
1.327	1.250	0.350	0.040					0.020	0.060	T	
1.330	1.830	0.225	0.040	1.100	1.600	0.056	0.100	0.046	0.086	C	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.

Details



A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.330	1.830	0.240	0.040	1.100	1.600	0.056	0.100	0.020	0.060	C	
1.340	1.340	0.200	0.040	1.140	1.060	0.056		0.020	0.060	C	
1.340	1.940	0.200	0.040	1.000	1.600	0.056	0.400	0.020	0.060	C	
1.340	1.940	0.200	0.040	1.050	1.600	0.042	0.100	0.020	0.060	C	
1.340	1.940	0.200	0.040	1.100	1.600	0.056	0.100	0.020	0.060	C	
1.340	2.380	0.200	0.040	1.140	2.160			0.020	0.060	C	
1.345	1.745	0.200	0.040	1.100	1.500	0.042	0.100	0.020	0.060	C	
1.345	1.945	0.050	0.050							C	
1.350	3.680	0.450	0.050					0.015	0.065	C	
1.360	2.117	0.215	0.040	1.100	1.650	0.042	0.150	0.046	0.086	C	
1.360	2.117	0.215	0.040	1.100	1.800	0.042	0.100	0.046	0.086	C	
1.360	3.50	0.190	0.040			0.042		0.046	0.086	C	
1.370	0.770	0.200	0.040	0.600	1.100	0.047	0.100	0.015	0.055	T	
1.370	1.092	0.217	0.040	0.900	1.100	0.047	0.100	0.020	0.060	T	
1.375	1.070	0.200	0.040	0.900	1.200	0.047	0.100	0.020	0.060	T	
1.380	0.980	0.225	0.040	.70/.50/.40	1.2/1.1	0.047	0.100	0.046	0.086	T	
1.380	1.580	0.255	0.040	1.200	1.300	0.042	0.100	0.046	0.086	C	
1.400	1.800	0.290	0.040	1.200	1.600	0.042	0.100	0.020	0.060	C	
1.400	2.300	0.220	0.040	1.100	2.000	0.056	0.100	0.020	0.060	C	
1.400	2.300	0.235	0.040	0.900	1.900	0.056	0.100	0.050	0.090	C	
1.400	2.300	0.235	0.040	1.100	2.000	0.042		0.050	0.090	C	
1.400	2.300	0.370	0.050	1.140	2.060	0.060	0.125	0.040	0.090	C	
1.400	4.780	0.210	0.050	1.000	4.470			0.032	0.082	C	
1.400	4.780	0.210	0.050	1.180	4.470			0.032	0.082	C	
1.401	0.920	0.500	0.060					0.015	0.075	T	
1.420	1.420	0.175	0.050	1.200	1.200	0.056	0.100	0.040	0.090	T	
1.420	1.420	0.300	0.050					0.040	0.090	T	
1.420	1.420	0.300	0.050	1.200	1.200	0.056	0.100	0.040	0.090	C	
1.470	0.770	0.240	0.040	0.600	1.300	0.047	0.100	0.020	0.060	T	
1.470	0.970	0.200	0.040	0.800	1.300	0.047	0.100	0.020	0.060	T	
1.480	0.400	0.200	0.040					0.015	0.055	T	
1.490	0.400	0.200	0.040					0.010	0.050	T	
1.490	0.400	0.200	0.040					0.025	0.025	T	
1.490	0.545	0.200	0.040					0.010	0.020	T	
1.490	0.650	0.225	0.040					0.025	0.025	T	
1.495	1.075	0.200	0.040					0.020	0.060	T	
1.495	2.595	0.310	0.060					0.020	0.080	C	
1.500	0.600	0.225	0.040					0.010	0.050	T	
1.500	1.000	0.200	0.040	0.750	1.250	0.065	0.250	0.020	0.060	T	
1.500	1.000	0.200	0.040	0.800	1.300	0.043	0.100	0.020	0.060	T	
1.500	1.000	0.200	0.040	0.800	1.300	0.056	0.100	0.020	0.060	T	
1.500	1.000	0.225	0.040					0.020	0.060	T	

Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline

Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.500	1.810	0.260	0.040					0.020	0.080	C	
1.520	1.070	0.170	0.040	0.900	1.350	0.047	0.100	0.020	0.060	T	
1.540	1.140	0.202	0.040	0.900	1.300	0.047	0.100	0.020	0.060	T	
1.575	1.000	0.200	0.040					0.020	0.060	T	
1.575	1.000	0.205	0.040					0.025	0.025	T	
1.575	1.000	0.275	0.040					0.025	0.040	T	
1.579	3.167	0.040	0.040							C	
1.580	1.380	0.225	0.040	1.20/1.10	1.30/1.10	0.047	0.100	0.046	0.086	T	
1.580	1.880	0.240	0.040	1.300	1.600	0.042	0.100	0.046	0.086	C	
1.580	2.380	0.240	0.040	1.400	2.200	0.042	0.100	0.046	0.086	C	
1.580	2.380	0.390	0.040	1.300	2.200	0.042	0.100	0.046	0.086	C	
1.590	0.755	0.165	0.040					0.010	0.020	T	
1.590	0.760	0.165	0.040					0.010	0.020	T	
1.590	0.760	0.200	0.040					0.020	0.060	T	
1.595	0.565	0.200	0.040	0.375	1.395	0.041	0.075	0.020	0.060	T	
1.595	0.565	0.200	0.040	0.375	1.395	0.047	0.075	0.080	0.120	T	
1.595	0.565	0.200	0.040	0.400	1.395	0.047	0.100	0.020	0.060	T	
1.595	0.565	0.205	0.040	0.375	1.395/1.20	0.047	0.075	0.015	0.055	T	
1.595	1.140	0.200	0.040	0.900	1.400	0.047	0.100	0.020	0.060	T	
1.600	1.600	0.050	0.050							C	
1.600	1.600	0.200	0.040	1.200	1.200	0.047	0.100	0.020	0.060	T	
1.600	1.600	0.200	0.040	1.400	1.400	0.047	0.100	0.020	0.060	T	
1.600	1.600	0.260	0.050	1.400	1.400	0.056	0.100	0.025	0.075	C	
1.600	1.900	0.040	0.040							C	
1.600	2.190	0.215	0.040	1.400	2.000	0.056	0.100	0.020	0.060	C	
1.600	2.240	0.190	0.040					0.020	0.060	C	
1.600	2.900	0.286	0.040	1.400	2.700	0.056		0.020	0.060	C	
1.645	2.845	0.200	0.040					0.020	0.060	C	
1.650	0.890	0.200	0.040					0.015	0.055	T	
1.650	1.250	0.200	0.040					0.020	0.060	T	
1.665	1.815	0.210	0.040					0.020	0.060	C	
1.688	1.102	0.300	0.040	0.850	1.500	0.044	0.100	0.015	0.066	T	
1.690	0.770	0.200	0.040	0.600	1.500	0.047	0.100	0.020	0.055	T	
1.695	0.775	0.215	0.040	0.600	1.500	0.047	0.100	0.015	0.055	T	
1.700	0.945	0.320	0.040					0.010	0.020	T	
1.700	1.000	0.200	0.040					0.020	0.060	T	
1.700	2.700	0.240	0.040	1.500	2.400	0.056	0.100	0.025	0.060	C	
1.710	2.845	0.320	0.040					0.020	0.060	C	
1.715	1.215	0.20	0.040					0.020	0.060	T	
1.715	1.215	0.215	0.040					0.010	0.025	T	
1.715	1.215	0.260	0.040					0.025	0.025	T	
1.730	1.070	0.180	0.040	0.900	1.500	0.047	0.100	0.020	0.060	T	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.


Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
1.740	1.140	0.195	0.040	0.900	1.400	0.047	0.100	0.020	0.060	T	
1.740	1.140	0.195	0.040	0.900	1.500	0.056	0.100	0.020	0.060	T	
1.740	1.140	0.300	0.040					0.020	0.060	T	
1.750	0.500	0.200	0.040					0.020	0.060	T	
1.750	1.300	0.200	0.040					0.015	0.055	T	
1.750	1.300	0.200	0.040					0.020	0.060	T	
1.760	1.245	0.185	0.040	1.050	1.500	0.047	0.100	0.020	0.060	T	
1.760	1.245	0.225	0.040	1.05/.85	1.40/1.50	0.047	0.100	0.020	0.060	T	
1.765	1.245	0.225	0.040	1.050	1.500	0.047	0.100	0.020	0.055	T	
1.800	1.400	0.222	0.040	1.200	1.600	0.047	0.100	0.020	0.060	T	
1.800	2.375	0.040	0.040							C	
1.830	1.300	0.200	0.040	1.100	1.500	0.047	0.100	0.046	0.086	T	
1.830	1.330	0.180	0.040	1.100	1.600	0.047	0.100	0.020	0.060	T	
1.830	1.330	0.200	0.040	1.10/.90	1.60/1.50	0.047	0.100	0.046	0.086	T	
1.830	1.330	0.200	0.040	1.100	1.600	0.044	0.100	0.046	0.086	T	
1.850	1.590	0.175	0.040	1.20/1.40	1.600	0.047	0.100	0.046	0.086	T	
1.850	1.590	0.175	0.040	1.40/1.20	1.600	0.056	0.100	0.046	0.086	T	
1.850	2.240	0.190	0.040					0.020	0.060	C	
1.870	2.100	0.040	0.040							C	
1.870	2.100	0.340	0.040	1.450	1.800	0.056	0.100	0.046	0.086	C	
1.870	2.270	0.240	0.040					0.020	0.060	C	
1.880	1.300	0.309	0.040	1.10/.900	1.55/1.50	0.057	0.100	0.020	0.060	T	
1.880	1.580	0.225	0.040	1.30/1.10	1.70/1.60	0.047	0.100	0.046	0.086	T	
1.895	0.775	0.200	0.040	0.600	1.700	0.056	0.100	0.020	0.060	T	
1.895	0.775	0.215	0.040	0.600	1.700	0.047	0.100	0.046	0.086	T	
1.895	0.775	0.215	0.040	0.600	1.700	0.056	0.100	0.046	0.086	T	
1.910	0.775	0.200	0.040	0.600	1.700	0.056	0.100	0.046	0.086	T	
1.919	2.500	0.215	0.040					0.030	0.070	C	
1.925	1.036	0.210	0.040	0.800	1.700	0.047	0.100	0.020	0.060	T	
1.930	1.140	0.155	0.040	0.900	1.600	0.056	0.100	0.046	0.066	T	
1.930	1.140	0.200	0.040	0.900	1.600	0.056	0.100	0.020	0.060	T	
1.945	1.345	0.650	0.050	1.000	1.600	0.124	0.200	0.040	0.090	T	
1.990	0.990	0.200	0.040	0.800	1.800	0.040	0.100	0.020	0.060	T	
1.990	0.990	0.200	0.040	0.800	1.800	0.056	0.100	0.020	0.060	T	
1.995	0.890	0.200	0.040					0.020	0.060	T	
2.000	1.000	0.155	0.040					0.020	0.020	T	
2.000	1.000	0.200	0.040	0.800	1.800	0.047	0.100	0.020	0.060	T	
2.000	1.000	0.325	0.040					0.020	0.060	T	
2.000	2.000	0.190	0.040					0.020	0.020	T	
2.000	2.000	0.220	0.040					0.010	0.020	C	
2.000	2.375	0.220	0.040	1.800	2.200	0.056	0.100	0.020	0.060	C	
2.000	2.750	0.240	0.040					0.020	0.035	C	


Hybrid Packages

Sinclair Tub Plug-In Series (HTP)

Outline



Image



Notes:

- Parts subject to revision without notice.
- Call Sinclair to verify design, inventory counts and pricing.
- \$750 minimum order.

Details

A	B	C	D	E	F	G	H	R1	R2	Int. Code	Comments
2.000	3.000	0.210	0.040					0.020	0.060	C	
2.040	1.140	0.187	0.040					0.020	0.060	T	
2.067	2.402	0.410	0.060	1.697	1.820	0.060		0.040	0.100	C	
2.095	0.750	0.200	0.040	0.600	1.900	0.047	0.100	0.020	0.060	T	
2.100	1.870	0.300	0.040	1.65/1.50	1.90/1.80	0.056	0.100	0.046	0.086	T	
2.100	2.190	0.200	0.040					0.020	0.060	C	
2.110	1.110	0.475	0.050	0.800	1.600	0.093	0.400	0.040	0.090	T	
2.110	1.110	0.475	0.050	0.800	1.600	0.096	0.400	0.040	0.090	T	
2.110	1.110	0.475	0.050	0.800	1.600	0.124	0.400	0.040	0.090	T	
2.110	1.110	0.650	0.050					0.040	0.090	T	
2.140	1.140	0.385	0.040	0.900	1.900	0.056	0.100	0.020	0.060	T	
2.190	2.400	0.190	0.040					0.020	0.060	C	
2.200	1.160	0.227	0.040					0.025	0.065	T	
2.200	2.200	0.200	0.040	2.000	2.000	0.047	0.100	0.020	0.060	T	
2.240	2.400	0.210	0.040	2.000	2.200	0.056	0.100	0.020	0.060	C	
2.300	1.000	0.200	0.040					0.020	0.060	T	
2.300	1.400	0.175	0.050	1.100	2.000	0.056	0.100	0.040	0.090	T	
2.300	1.400	0.200	0.040	1.10/900	2.00/1.80	0.056	0.100	0.020	0.060	T	
2.300	1.400	0.200	0.040	1.100	2.000	0.056	0.100	0.020	0.060	T	
2.300	1.400	0.215	0.050	1.10/900	2.00/1.90	0.056	0.100	0.040	0.090	T	
2.300	1.400	0.250	0.040	1.100	2.000	0.056	0.100	0.020	0.060	T	
2.302	1.402	0.195	0.050	1.140	2.100	0.056	0.100	0.040	0.090	T	
2.360	2.495	0.270	0.050					0.020	0.070	C	
2.368	1.298	0.200	0.050					0.062	0.112	T	
2.375	2.000	0.320	0.040					0.020	0.060	T	
2.375	2.375	0.290	0.040	2.200	2.200	0.056	0.100	0.020	0.060	C	
2.375	2.375	0.300	0.040					0.020	0.060	T	
2.380	1.580	0.240	0.040	1.4/1.3/1.1	2.20/2.10	0.047	0.100	0.046	0.086	T	
2.500	2.500	0.210	0.040					0.025	0.025	T	
2.500	4.475	0.545	0.080			0.127	0.200	0.020	0.095	C	
2.550	0.450	0.200	0.040	0.300	2.350	0.047	0.100	0.020	0.060	T	
2.600	1.400	0.200	0.040					0.015	0.055	T	
2.630	3.740	0.549	0.049					0.020	0.062	C	
2.700	2.100	0.200	0.040	1.70/1.90	2.400	0.056	0.100	0.020	0.060	T	
2.800	2.800	0.200	0.040	2.600	2.600	0.056	0.100	0.020	0.060	T	
2.845	1.700	0.195	0.050	1.500	2.600	0.056	0.200	0.020	0.070	T	
2.875	0.775	0.200	0.040	0.600	2.700	0.056	0.100	0.046	0.086	T	
3.200	3.400	0.250	0.050					0.045	0.095	C	
3.350	0.580	0.200	0.040					0.046	0.086	T	
3.530	1.130	0.200	0.040	0.900	3.300	0.056	0.100	0.046	0.086	T	
3.730	4.030	0.130	0.050					0.030	0.070	C	
3.730	4.030	0.310	0.060					0.030	0.070	C	